## **FINAL**

## MATH 151 – SPRING 2004 – KUNIYUKI 105 POINTS TOTAL, BUT 100 POINTS = 100% An appropriate sheet of notes and a scientific calculator are allowed.

## PART 1 45 POINTS TOTAL; 3 POINTS FOR EACH PROBLEM

Give the best answers based on the notes and our discussions in class.

- 1) We would use a *u*-substitution to evaluate  $\int \sin^4 x \cos^5 x \, dx$ . What would be our choice for *u*?
- 2) We could use a trig substitution to evaluate  $\int \frac{x^3}{\sqrt{9x^2 + 36}} dx$ . What would we use as our trig substitution?
- 3) We want to find  $\int \frac{1}{x^3(x^2+25)^2} dx$  using partial fractions.

Write the <u>form</u> of the partial fraction decomposition for the integrand,

$$\frac{1}{x^3(x^2+25)^2}.$$


4) Find  $\lim_{x \to \frac{\pi}{2}^{-}} \frac{x - \frac{\pi}{2}}{\cos x}$ . Write  $\infty$  or  $-\infty$  if appropriate. If the limit does not exist, and

 $\infty$  and  $-\infty$  are inappropriate, write "DNE" (Does Not Exist). Show work!

5) Which of the following are indeterminate limit forms? Circle all that apply:

$$\infty + \infty$$
  $\infty - \infty$   $\infty^0$ 

6) Fill in the boxes (there is more than one possible way):



7) For a series  $\sum_{n=1}^{\infty} a_n$ , we know that the  $n^{\text{th}}$  partial sum is given by  $S_n = \frac{3n^2 + 1}{2n^2 - 3}$ . What must be the sum of the series?

- 8) Consider two positive-term series  $\sum_{n=1}^{\infty} c_n$  and  $\sum_{n=1}^{\infty} d_n$  such that  $c_n \le d_n$  for all  $n \ge 1$ . According to the Basic Comparison Test, which of the following statements is true? Circle one:
  - a) If  $\sum_{n=1}^{\infty} d_n$  converges, then  $\sum_{n=1}^{\infty} c_n$  converges.
  - b) If  $\sum_{n=1}^{\infty} d_n$  diverges, then  $\sum_{n=1}^{\infty} c_n$  diverges.
- 9) True or False: A positive-term series that converges must be absolutely convergent. Circle one:

- 10) Write the first four nonzero terms of the Maclaurin series for  $f(x) = \tan^{-1} x$ .
- 11) If a power series representation for f(x) is given by  $\sum_{n=0}^{\infty} \frac{n^2 + 1}{3^n} x^n$ , find a power series representation for f'(x) using summation notation.
- 12) Write the summation notation form for the Taylor series representation of f(x) centered at c, assuming it exists.
- The position of a particle at time t in the usual xy-plane is given by x = f(t), y = g(t) for all t in  $\mathbf{R}$ , where f and g are everywhere differentiable. If, at a particular time,  $\frac{dx}{dt} < 0$  and  $\frac{dy}{dt} > 0$ , what is the direction of the particle at that time? Circle one:
  - a) Up and to the left
  - b) Up and to the right
  - c) Down and to the left
  - d) Down and to the right
- 14) The graph of the polar equation r = -3 is a ... (circle one).

Circle Line Neither

Polar coordinates of a point in a plane are  $(r, \theta)$ . Write the formula we gave in class for the (rectangular or Cartesian) *x*-coordinate of the point in terms of *r* and  $\theta$ .



## Show all work, simplify as appropriate, and use "good form and procedure" (as in class). Box in your final answers!

16) Write the formula we gave in class for "work." (3 points)

Solve the separable differential equation  $\cos^2 x \, dy - 3y \, dx = 0$ . Assume y > 0. (12 points)

- Consider the equation  $x^2 + 3y^2 4x + 6y 2 = 0$ . Its graph is an ellipse in the standard *xy*-plane. (Show your work at the bottom of the page.) (20 points total)
  - a) What are the coordinates of the vertices of the ellipse?
  - b) What are the coordinates of the foci of the ellipse?

19) The graph of  $5x^2 + 6\sqrt{3}xy - y^2 - 32 = 0$  is a rotated hyperbola. Use a suitable rotation of axes to find an equation for the graph in an x'y'-plane such that the equation has no cross-term. Your final equation must be in standard form for a hyperbola. Also give the angle of rotation. You do <u>not</u> have to graph anything. (25 points total)

19) cont.)